

Degeaser

Revision date: 09.10.2019

Product code: 106

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Degeaser

1.2. Relevant identified uses of the substance or mixture and uses advised against

Uses advised against

Reserved for industrial and professional use.

1.3. Details of the supplier of the safety data sheet

Company name:	ITW LLC & Co. KG	
Street:	Mühlackerstrasse 149	
Place:	D-75417 Mühlacker	
Telephone:	++49(0)7041-96340	Telefax:++49(0)7041-963429
e-mail: Internet:	info@itwcp.de www.itwcp.de	
Responsible Department:	Produktsicherheit Mo Do. 8.00 - 16	.30 Fr. 8.00 - 14.00
	Swiss Toxicological Information Centi Switzerland dial 145)	re - Téléphone : +41 44 251 51 51 (in
	United Kingdom : National Poisons Ir 8448920111	formation Service - Phone number :
	Österreich : Vergiftungsinformationsz 406 43 43	entrale Vienna - Telefon-Nummer : +43 1
	Schweiz : Tox Info Suisse - Telefon-N	lummer: +41 44 251 51 51
	Italia : Centro Antiveleni, Roma - Nun	nero di telefono : +39 06 305 4343
	España : Instituto Nacional de Toxico	logía - Teléfono : +34 91 562 04 20
1.4. Emergency telephone	Deutschland: ++49(0)7041-96340	

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Aerosol: Aerosol 1 Skin corrosion/irritation: Skin Irrit. 2 Serious eye damage/eye irritation: Eye Irrit. 2 Specific target organ toxicity - single exposure: STOT SE 3 Hazardous to the aquatic environment: Aquatic Chronic 3 Hazard Statements: Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.

Danger

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

Propan-2-ol, 1-Methoxy-2-propanol, Monopropylenglycolmethylether, Hydrocarbons

Signal word:

Revision No: 1,15



Degeaser

Revision date: 09.10.2019

Product code: 106

Page 2 of 8

Pictograms:



Hazard statements

H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H412	Harmful to aquatic life with long lasting effects.

Precautionary statements

rooudionary olucomor	
P211	Do not spray on an open flame or other ignition source.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P273	Avoid release to the environment.
P251	Do not pierce or burn, even after use.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P271	Use only outdoors or in a well-ventilated area.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification	•	•	
67-63-0	propan-2-ol; isopropyl alcohol; isop	ropanol		25-50%
	200-661-7	603-117-00-0		
	Flam. Liq. 2, Eye Irrit. 2, STOT SE	3; H225 H319 H336		
107-98-2	1-Methoxy-2-propanol			25-50 %
	203-539-1		01-2119457435-35	
	Flam. Liq. 3, STOT SE 3; H226 H3	36		
	Hydrocarbons, C9-C10 n-alkane, is	oalkane, cyclic, <2% aromatio	c	10-30%
	927-356-8		01-2119463258-33	
	Flam. Liq. 3, STOT SE 3, Asp. Tox.	1; H226 H336 H304		
	Hydrocarbons, C9, aromatics			2,5-10%
	918-668-5		01-2119455851-35	
	Flam. Liq. 3, STOT SE 3, STOT SE H411	3, Asp. Tox. 1, Aquatic Chro	nic 2; H226 H335 H336 H304	
124-38-9	Carbondioxide			2,5-10%
	204-696-9			
	Compressed gas; H280			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures



Degeaser

Revision date: 09.10.2019

Product code: 106

Page 3 of 8

After inhalation

Provide fresh air. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After contact with skin

After contact with skin, wash immediately with: Water. Change contaminated clothing.

After contact with eyes

If product gets into the eye, keep eyelid open and rinse immediately with large quantities of water, for at least 5 minutes. Subsequently consult an ophthalmologist.

After ingestion

If swallowed, immediately drink: Water.

4.2. Most important symptoms and effects, both acute and delayed

No data available

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). Foam. Extinguishing powder.

Unsuitable extinguishing media

Water with tenside additive. Water.

5.2. Special hazards arising from the substance or mixture

Combustible. Vapours may form explosive mixtures with air. Heating causes rise in pressure with risk of bursting.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

Suppress gases/vapours/mists with water spray jet. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Provide adequate ventilation. Wear a self-contained breathing apparatus and chemical protective clothing.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Explosion hazard.

6.3. Methods and material for containment and cleaning up

Ventilate affected area.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

7.2. Conditions for safe storage, including any incompatibilities



according to Regulation (EC) No 1907/2006

Degeaser

Revision date: 09.10.2019

Product code: 106

Page 4 of 8

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from sources of ignition - No smoking.

Hints on joint storage

Do not store together with: Material, rich in oxygen, oxidizing.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

ppm	mg/m³	fibres/ml	Category	Origin
100	375		TWA (8 h)	WEL
150	560		STEL (15 min)	WEL
5000	9150		TWA (8 h)	WEL
15000	27400		STEL (15 min)	WEL
400	999		TWA (8 h)	WEL
500	1250		STEL (15 min)	WEL
	100 150 5000 15000 400	100 375 150 560 5000 9150 1500 27400 400 999	100 375 150 560 5000 9150 15000 27400 400 999	100 375 TWA (8 h) 150 560 STEL (15 min) 5000 9150 TWA (8 h) 15000 27400 STEL (15 min) 400 999 TWA (8 h)

8.2. Exposure controls





Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.

Eye/face protection

Tightly sealed safety glasses.

Hand protection

DIN EN 374 Tested protective gloves are to be worn: NBR (Nitrile rubber) For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. NBR (Nitrile rubber)

Skin protection

Protective clothing:

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Aerosol
Colour:	colourless
Odour:	characteristic
••••••••••••••••••••••••••••••••••••••	

Changes in the physical state

Initial boiling point and boiling range:



according to Regulation (EC) No 1907/2006

	Degeaser	
Revision date: 09.10.2019	Product code: 106	Page 5 of 8
Flash point:	2° 0>	
Lower explosion limits:	1,8 vol. %	
Upper explosion limits:	13,1 vol. %	
Ignition temperature:	270 °C	
Vapour pressure: (at 20 °C)	13,3 hPa	
Vapour pressure: (at 50 °C)	60 hPa	
Density (at 0,82 °C):	0,82 g/cm³	
Solvent content:	34,40 %	

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

No data available

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

Keep away from heat. Ignition hazard.

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

No data available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Irritating to eyes. Following inhalation: Lung irritation. Coughing. shortage of breath. After skin contact: irritant.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness or dizziness. (propan-2-ol; isopropyl alcohol; isopropanol; 1-Methoxy-2-propanol)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

according to Regulation (EC) No 1907/2006

Degeaser

Revision date: 09.10.2019

Product code: 106

Page 6 of 8

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

Waste disposal number of contaminated packaging

150104 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); metallic packaging

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u>	UN1950
14.2. UN proper shipping name:	AEROSOLS
14.3. Transport hazard class(es):	2
Hazard label:	2.1
Classification code:	5F
Special Provisions:	190 327 625
Limited quantity:	1 L
Transport category:	2
Tunnel restriction code:	D
Other applicable information (land transp E0	port)
Inland waterways transport (ADN)	
<u>14.1. UN number:</u>	UN1950
14.2. UN proper shipping name:	AEROSOLS
14.3. Transport hazard class(es):	2
Hazard label:	2.1
Classification code:	5F
Special Provisions:	190 327 344 625
Limited quantity:	1 L
Other applicable information (inland wate	erways transport)
Marine transport (IMDG)	
<u>14.1. UN number:</u>	UN1950



	Degeaser	
Revision date: 09.10.2019	Product code: 106	Page 7 of 8
14.2. UN proper shipping name:	AEROSOLS	
14.3. Transport hazard class(es):	2	
14.4. Packing group:	-	
Hazard label:	2, see SP63	
Special Provisions: Limited quantity:	63, 190, 277, 327, 344, 959 See SP277	
EmS:	F-D, S-U	
Other applicable information (marine tr E0	ansport)	
Air transport (ICAO-TI/IATA-DGR)		
<u>14.1. UN number:</u>	UN1950	
14.2. UN proper shipping name:	AEROSOLS, flammable	
14.3. Transport hazard class(es):	2.1	
Hazard label:	2.1	
Special Provisions: Limited quantity Passenger:	A145 A167 30 kg G	
IATA-packing instructions - Passenger: IATA-max. quantity - Passenger: IATA-packing instructions - Cargo: IATA-max. quantity - Cargo:	203 75 kg 203 150 kg	
Other applicable information (air transp E0 : Y203	port)	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	no	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental reg	ulations/legislation specific for the substance or mixture	
EU regulatory information		
2004/42/EC (VOC):	34,4 %	
National regulatory information		
Water contaminating class (D):	1 - slightly water contaminating	
SECTION 16: Other information		

Relevant H and EUH statements (number and full text)

H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.



according to Regulation (EC) No 1907/2006

	Degeaser	
Revision date: 09.10.2019	Product code: 106	Page 8 of 8
H304	May be fatal if swallowed and enters airways.	
H319	Causes serious eye irritation.	
H335	May cause respiratory irritation.	
H336	May cause drowsiness or dizziness.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)