



according to Regulation (EC) No 1907/2006

Cyanacrylate Adhesive

Revision date: 20.12.2019 Product code: 14-204 Page 1 of 7

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Cyanacrylate Adhesive

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Adhesives, sealants

Uses advised against

Reserved for industrial and professional use.

1.3. Details of the supplier of the safety data sheet

Company name: ITW LLC & Co. KG
Street: Mühlackerstrasse 149
Place: D-75417 Mühlacker
Telephone: ++49(0)7041-96340

e-mail: info@itwcp.de Internet: www.itwcp.de

Responsible Department: Produktsicherheit Mo. - Do. 8.00 - 16.30 Fr. 8.00 - 14.00

Swiss Toxicological Information Centre - Téléphone : +41 44 251 51 51 (in

Telefax: ++49(0)7041-963429

Switzerland dial 145)

United Kingdom: National Poisons Information Service - Phone number:

8448920111

Österreich: Vergiftungsinformationszentrale Vienna - Telefon-Nummer: +43 1

406 43 43

Schweiz : Tox Info Suisse - Telefon-Nummer : +41 44 251 51 51 Italia : Centro Antiveleni, Roma - Numero di telefono : +39 06 305 4343 España : Instituto Nacional de Toxicología - Teléfono : +34 91 562 04 20

1.4. Emergency telephone

number:

Deutschland: ++49(0)7041-96340

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Specific target organ toxicity - single exposure: STOT SE 3

Hazard Statements:

May cause respiratory irritation.
Causes serious eye irritation.
Causes skin irritation.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

Ethyl-2-cyanacrylat Ethyl cyanoacrylate

Signal word: Warning



according to Regulation (EC) No 1907/2006

Cyanacrylate Adhesive

Revision date: 20.12.2019 Product code: 14-204 Page 2 of 7

Pictograms:



Hazard statements

H335 May cause respiratory irritation.
H319 Causes serious eye irritation.
H315 Causes skin irritation.

Precautionary statements

P302+P350 IF ON SKIN: Gently wash with plenty of soap and water.
P284 In case of inadequate ventilation wear respiratory protection.

P501 Dispose of contents/container to Dispose of this material and its container to hazardous or

special waste collection point. .

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name					
	EC No	Index No		REACH No		
	GHS Classification					
7085-85-0	ethyl 2-cyanoacrylate					
	230-391-5	607-236-00-9				
	Eye Irrit. 2, STOT SE 3, Skin Irrit. 2; H319 H335 H315					
123-31-9	1,4-dihydroxybenzene; hydroquinone; quinol					
	204-617-8	604-005-00-4				
	Carc. 2, Muta. 2, Acute Tox. 4, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1 (M-Factor = 10); H351 H341 H302 H318 H317 H400					

Full text of H and EUH statements: see section 16.

Further Information

Contains: Phthalsäureanhydrid May produce an allergic reaction.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off contaminated clothing.

After inhalation

Provide fresh air. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After contact with skin

After contact with skin, wash immediately with: Water. Change contaminated clothing. Cyanoacrylate containing adhesive. After contact with skin, wash immediately with plenty of water and soap. If skin irritation or rash occurs: Get medical advice/attention.

After contact with eyes

If product gets into the eye, keep eyelid open and rinse immediately with large quantities of water, for at least 5



ITW LLC & Co. KG

according to Regulation (EC) No 1907/2006

Cyanacrylate Adhesive

Revision date: 20.12.2019 Product code: 14-204 Page 3 of 7

minutes. Subsequently consult an ophthalmologist. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After ingestion

If swallowed, immediately drink: Water. Rinse mouth immediately and drink plenty of water. In case of accident or if you feel unwell, seek medical advice immediately (show this label if possible).

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). Foam. Extinguishing powder.

Unsuitable extinguishing media

Water with tenside additive. Water.

5.2. Special hazards arising from the substance or mixture

Vapours may form explosive mixtures with air. In case of fire may be liberated: Nitrogen oxides (NOx). Carbon monoxide Carbon dioxide (CO2).

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

Suppress gases/vapours/mists with water spray jet. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

No data available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation as well as local exhaustion at critical locations. Ensure adequate ventilation of the storage area.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.


Further information on handling

Keep only in the original container at temperature not exceeding 7 °C.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. storage temperature: 5-7°C





according to Regulation (EC) No 1907/2006

Cyanacrylate Adhesive

Revision date: 20.12.2019 Product code: 14-204 Page 4 of 7

Hints on joint storage

Do not store together with:

Further information on storage conditions

Keep locked up and out of reach of children. Keep away from heat. Keep/Store only in original container.

7.3. Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7085-85-0	Ethyl cyanoacrylate	0.3	1.5		STEL (15 min)	WEL
123-31-9	Hydroquinone	-	0.5		TWA (8 h)	WEL

8.2. Exposure controls





Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe qas/fumes/vapour/spray.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink. Avoid contact with skin.

Eye/face protection

Tightly sealed safety glasses.

Hand protection

DIN EN 374 Tested protective gloves are to be worn: Butyl rubber. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Combination filter device (DIN EN 141)...

Environmental exposure controls

No data available

SECTION 9: Physical and chemical properties


9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless
Odour: stinging

Changes in the physical state

Flash point: > 80 °C

Density: 1,05 g/cm³





according to Regulation (EC) No 1907/2006

Cyanacrylate Adhesive

Revision date: 20.12.2019 Product code: 14-204 Page 5 of 7

Water solubility: hydrolyzed Viscosity / dynamic: 2300-3300 mPa·s

(at 25 °C)

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

Keep away from heat. Protect from sunlight.

10.3. Possibility of hazardous reactions

Danger of polymerisation

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

No data available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

Processing vapours can irritate the respiratory tracts, skin and eyes. not sensitising.

Acute toxicity

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
123-31-9	1,4-dihydroxybenzene; hydroquinone; quinol				
	oral	LD50 302 mg/kg	Rat	IUCLID	

Irritation and corrosivity

Irritating to eyes. Following inhalation: Lung irritation. Coughing. shortage of breath. After skin contact: irritant.

Sensitising effects

not sensitising.

Carcinogenic/mutagenic/toxic effects for reproduction

No data available

STOT-repeated exposure

No data available


Additional information on tests

No data available

SECTION 12: Ecological information

12.1. Toxicity

No data available





according to Regulation (EC) No 1907/2006

Cyanacrylate Adhesive

Revision date: 20.12.2019 Product code: 14-204 Page 6 of 7

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
123-31-9	1,4-dihydroxybenzene; hydroquinone; quinol						
	Acute fish toxicity	LC50 mg/l	0,44	96 h	Pimephales promelas	IUCLID	
	Acute algae toxicity	ErC50 mg/l	0,335		Selenastrum capricornutum	IUCLID	
	Acute crustacea toxicity	EC50 mg/l	0,29	48 h	Daphnia magna		

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Other adverse effects

No data available

Further information

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

Waste disposal number of contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately

collected municipal packaging waste); plastic packaging

Contaminated packaging

Water (with cleaning agent). Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

Other applicable information (land transport)


Not restricted

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not restricted

Marine transport (IMDG)





according to Regulation (EC) No 1907/2006

Cyanacrylate Adhesive

Product code: 14-204 Revision date: 20.12.2019 Page 7 of 7

Other applicable information (marine transport)

Not restricted

Air transport (ICAO-TI/IATA-DGR)

UN3334 14.1. UN number:

AVIATION REGULATED LIQUID, N.O.S. (Cyanoacrylate ester) 14.2. UN proper shipping name:

14.3. Transport hazard class(es): Hazard label:



Special Provisions: Limited quantity Passenger: 30 kg G

IATA-packing instructions - Passenger: 964 IATA-max. quantity - Passenger: 100 L IATA-packing instructions - Cargo: 964 IATA-max. quantity - Cargo: 220 L

Other applicable information (air transport)

: Y964

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: nο

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)