

### **Technical Data Sheet**

### **MOLD RELEASE AGENT 99 Art. No.801**

### **Product description**

MOLD RELEASE AGENT 99 is a release agent without silicons for the easy seperation of plastic, rubber, plaster as well as metal from each other. MOLD RELEASE AGENT 99 is also very effective in the sewing and weaving industry to enable easy threading of the machines by building a thin film, which prevents sticking.

# **Application**

MOLD RELEASE AGENT 99 ist free of silicone, neither harmful or irritant and does not attack rubber and plastic.

MOLD RELEASE AGENT 99 covers the whole mold with a uniform and fine coating.

### Please note

MOLD RELEASE AGENT 99 is suitable for high and low working temperatures ranging from -50 to 200° C. It does not attack rubber and plastik and is therefore also suitable for polystyrole, PVC, polyethylene and polyamide. It seperates itsself from complicated moulds resulting in a smooth surface.



### **Technical Data**

Color: colorless liquid
Viscosity: thin
Density: 0,89 [g/cm³]
Boiling point: 82 [°C]
Flash point: ca. 13 [°C]
Dissolubility: dissolvable

## Storage / Shelf life

Shelf life is 2 years if stored correctly and unopened in the original packaging. Package after emptying to be disposed via metal scrap.