

according to Regulation (EC) No 1907/2006

**Electronic Cleaner** 

Print date: 30.01.2017	Product code: VB_05		Page 1 c
SECTION 1: Identification of t	ne substance/mixture and of the compar	ıy/undertaking	
1.1. Product identifier Electronic Cleaner			
1.2. Relevant identified uses of th	e substance or mixture and uses advised ac	<u>ainst</u>	
Use of the substance/mixture Elekronikspray/Electronic S	pray		
Uses advised against Reserved for industrial and	professional use.		
1.3. Details of the supplier of the	<u>safety data sheet</u>		
Company name: Street: Place:	ITW LLC & Co. KG Mühlackerstrasse 149 D-75417 Mühlacker		
Telephone: e-mail: Internet: Responsible Department:	++49(0)7041-96340 info@itwcp.de www.itwcp.de Produktsicherheit	Telefax: ++49(0)7041-963429	
1.4. Emergency telephone number:	++49(0)7041-96340 Mo Do. 8.00 - 16.30 Fr. 8.00 - 14.00		
SECTION 2: Hazards identifica	ation		

# Regulation (EC) No. 1272/2008

Hazard categories: Aerosol: Aerosol 1 Skin corrosion/irritation: Skin Irrit. 2 Serious eye damage/eye irritation: Eye Irrit. 2 Hazardous to the aquatic environment: Aquatic Chronic 2 Hazard Statements: Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.

Danger

# 2.2. Label elements

Regulation (EC) No. 1272/2008

#### Hazard components for labelling

Isopropanol, 1 Methoxy-2-propanol, Hydrocarbons, C6, isoalkanes, <5%Hexane

Signal word:

Pictograms:



### Hazard statements

H222 H229	Extremely flammable aerosol. Pressurised container: May burst if heated.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.



according to Regulation (EC) No 1907/2006

# **Electronic Cleaner**

Print date: 30.01.2017

Product code: VB\_05

Page 2 of 8

Precautionary statemer	nts
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P273	Avoid release to the environment.
P271	Use only outdoors or in a well-ventilated area.
P251	Do not pierce or burn, even after use.
P210	Keep away from heat. No Smoking.
P403	Store in a well-ventilated place.
P210	Keep away from heat. No Smoking.

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

# Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification according to Regu	lation (EC) No. 1272/2008	[CLP]	
64742-49-0	Naphtha (petroleum), hydrotreat n-hexane <0,1% Benzol	ed light; Low boiling point h	ydrogen treated naphtha, <5%	25-50%
	931-254-9			
	Flam. Liq. 2, STOT SE 3, Asp. T	ox. 1, Aquatic Chronic 2; H	225 H336 H304 H411	
67-63-0	propan-2-ol; isopropyl alcohol; is	opropanol		25-50 %
	200-661-7	603-117-00-0		
	Flam. Liq. 2, Eye Irrit. 2, STOT S	E 3; H225 H319 H336		
107-98-2	1-Methoxy-2-propanol		10-25 %	
	203-539-1		01-2119457435-35	
	Flam. Liq. 3, STOT SE 3; H226	1336		
124-38-9	Carbondioxide			2,5-10 %
	204-696-9			
	Compressed gas; H280		•	
78-93-3	butanone; ethyl methyl ketone			2,5-10 %
	201-159-0	606-002-00-3		
	Flam. Liq. 2, Eye Irrit. 2, STOT S	E 3; H225 H319 H336 EUF	1066	

Full text of H and EUH statements: see section 16.

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### After inhalation

Provide fresh air. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

# After contact with skin

After contact with skin, wash immediately with: Water. Change contaminated clothing.

#### After contact with eyes

If product gets into the eye, keep eyelid open and rinse immediately with large quantities of water, for at least 5 minutes. Subsequently consult an ophthalmologist.

# After ingestion

If swallowed, immediately drink: Water.



according to Regulation (EC) No 1907/2006

# Electronic Cleaner

Print date: 30.01.2017

Product code: VB\_05

Page 3 of 8

#### 4.2. Most important symptoms and effects, both acute and delayed No data available

# 4.3. Indication of any immediate medical attention and special treatment needed

No data available

# SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Foam. Carbon dioxide (CO2). Extinguishing powder.

## Unsuitable extinguishing media

Water with tenside additive. Water.

# 5.2. Special hazards arising from the substance or mixture

Heating causes rise in pressure with risk of bursting.

### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Wear a self-contained breathing apparatus and chemical protective clothing.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Explosion hazard.

#### 6.3. Methods and material for containment and cleaning up

Ventilate affected area.

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

#### Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels Keep container tightly closed.

#### Advice on storage compatibility

Do not store together with: Material, rich in oxygen, oxidizing.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters



according to Regulation (EC) No 1907/2006

# **Electronic Cleaner**

Print date: 30.01.2017

Product code: VB\_05

Page 4 of 8

## Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
107-98-2	1-Methoxypropan-2-ol	100	375		TWA (8 h)	WEL
		150	560		STEL (15 min)	WEL
78-93-3	Butan-2-one (methyl ethyl ketone)	200	600		TWA (8 h)	WEL
		300	899		STEL (15 min)	WEL
124-38-9	Carbon dioxide	5000	9150		TWA (8 h)	WEL
		15000	27400		STEL (15 min)	WEL
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

# **Biological Monitoring Guidance Values (EH40)**

CAS No	Substance	Parameter	Value	Test material	Sampling time
78-93-3	Butan-2-one	butan-2-one	70 µmol/L	urine	Post shift

### 8.2. Exposure controls



# Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

## Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.

#### Eye/face protection

Tightly sealed safety glasses.

#### Hand protection

DIN EN 374 Tested protective gloves are to be worn: Butyl rubber. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Skin protection

Protective clothing:

### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection. Combination filter device (DIN EN 141).. Filter AX

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state:	Aerosol
Colour:	farblos
Odour:	characteristic

# Changes in the physical state

Initial boiling point and boiling range:

Test method

60 °C



### according to Regulation (EC) No 1907/2006

Electronic Cleaner				
Print date: 30.01.2017	Product code: VB_05	Page 5 of 8		
Flash point:	2° 0>			
Lower explosion limits:	1,2 vol. %			
Upper explosion limits:	13,1 vol. %			
Ignition temperature:	270 °C			
Density (at 20 °C):	0,72 g/cm³			
Solvent content:	95%			

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No data available

10.2. Chemical stability

No data available

# 10.3. Possibility of hazardous reactions

No data available

### 10.4. Conditions to avoid

Keep away from heat. Ignition hazard.

# 10.5. Incompatible materials

No data available

#### 10.6. Hazardous decomposition products

No data available

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

### Irritation and corrosivity

Irritating to eyes. Vapours may cause drowsiness and dizziness. After skin contact: Irritant.

#### Additional information on tests

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

#### **Further information**

Do not allow to enter into surface water or drains. The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

### SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Advice on disposal

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

### Waste disposal number of waste from residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances

Classified as hazardous waste.



according to Regulation (EC) No 1907/2006

# **Electronic Cleaner**

Print date: 30.01.2017

Product code: VB\_05

Page 6 of 8

# Waste disposal number of contaminated packaging

150104 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); metallic packaging

# Contaminated packaging

**SECTION 14: Transport information** 

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

· · · · · · · · · · · · · · · · · · ·	
Land transport (ADR/RID)	
<u>14.1. UN number:</u>	UN1950
14.2. UN proper shipping name:	AEROSOLS
<u>14.3. Transport hazard class(es):</u>	2
Hazard label:	2.1
Classification code:	5F
Special Provisions:	190 327 625
Limited quantity:	1 L
Transport category:	2
Tunnel restriction code:	D
Other applicable information (land transp E0	ort)
Inland waterways transport (ADN)	
<u>14.1. UN number:</u>	UN1950
14.2. UN proper shipping name:	AEROSOLS
14.3. Transport hazard class(es):	2
Hazard label:	2.1
Classification code:	5F
Special Provisions:	190 327 344 625
Limited quantity:	1 L
Other applicable information (inland wate E0	erways transport)
Marine transport (IMDG)	
14.1. UN number:	UN1950
14.2. UN proper shipping name:	AEROSOLS
<u>14.3. Transport hazard class(es):</u>	2
14.4. Packing group:	-
Hazard label:	- 2. see SP63
	2, 300 01 00

Special Provisions:

63, 190, 277, 327, 344, 959



# according to Regulation (EC) No 1907/2006

	Electronic Cleaner		
Print date: 30.01.2017	Product code: VB_05	Page 7 of 8	
Limited quantity:	See SP277		
EmS:	F-D, S-U		
Other applicable information (marine tra E0	ansport)		
Air transport (ICAO)			
<u>14.1. UN number:</u>	UN1950		
14.2. UN proper shipping name:	AEROSOLS, flammable		
14.3. Transport hazard class(es):	2.1		
Hazard label:	2.1		
Special Provisions:	A145 A167		
Limited quantity Passenger:	30 kg G		
IATA-packing instructions - Passenger:	203		
IATA-max. quantity - Passenger:	75 kg		
IATA-packing instructions - Cargo: IATA-max. quantity - Cargo:	203 150 kg		
Other applicable information (air transp	-		
E0 : Y203			
14.5. Environmental hazards			
ENVIRONMENTALLY HAZARDOUS:	yes	¥2	
Danger releasing substance:	Hydrocarbons	$\checkmark$	
SECTION 15: Regulatory information			
15.1. Safety, health and environmental reg	ulations/legislation specific for the sul	ostance or mixture	
EU regulatory information			
2004/42/EC (VOC):	44,1 % (317,52 g/l)		
National regulatory information			
Water contaminating class (D):	2 - water contaminating		
SECTION 16: Other information			
Relevant H and EUH statements (number	er and full text)		
H222 Extremely flam	imable aerosol.		
	H225 Highly flammable liquid and vapour.		
	H229 Pressurised container: May burst if heated.		
•	H280 Contains gas under pressure; may explode if heated.		
-	H304 May be fatal if swallowed and enters airways.		
	•		
H411 Toxic to aquatic life with long lasting effects.			



according to Regulation (EC) No 1907/2006

# **Electronic Cleaner**

Print date: 30.01.2017

Product code: VB\_05

Page 8 of 8

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)