



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Thread Locking Compound low strength

Revision date: 17.12.2019

Product code: 12-22

Page 2 of 6

After contact with skin

After contact with skin, wash immediately with: Water. Change contaminated clothing. After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

If swallowed, immediately drink: Water. Rinse mouth immediately and drink plenty of water. If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

SECTION 5: Firefighting measures

5.1. Extinguishing media**Suitable extinguishing media**

Carbon dioxide (CO₂). Foam. Extinguishing powder.

Unsuitable extinguishing media

Water with tenside additive. Water.

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Nitrogen oxides (NO_x). Carbon monoxide Carbon dioxide (CO₂).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Provide adequate ventilation. Wear a self-contained breathing apparatus and chemical protective clothing.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling**Advice on safe handling**

This article doesn't contain dangerous substances or preparations intended to be released under normal or reasonably foreseeable conditions of use.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed. Keep/Store only in original container.

Hints on joint storage

Information about storage in one common storage facility: no restriction.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Thread Locking Compound low strength

Revision date: 17.12.2019

Product code: 12-22

Page 3 of 6

Further information on storage conditions

Keep container tightly closed. Keep in a cool, well-ventilated place. storage temperature: 10-20°C

7.3. Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

Does not contain substances above concentration limits fixing an occupational exposure limit.

8.2. Exposure controls



Protective and hygiene measures

Change contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink. No special precautionary measures are necessary.

Eye/face protection

Tightly sealed safety glasses.

Hand protection

DIN EN 374 Tested protective gloves are to be worn: Butyl rubber. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Respiratory protection

No special precautionary measures are necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	violet
Odour:	odourless

Test method

Changes in the physical state

Melting point: not determined

Initial boiling point and boiling range: not determined

Flash point: > 100 °C

Sustaining combustion: UN Test L.2

Explosive properties

not explosive.

Density (at 25 °C): 1,09 g/cm³

Water solubility: Immiscible

Viscosity / dynamic:
(at 25 °C) 800-1250 mPa·s

SECTION 10: Stability and reactivity

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Thread Locking Compound low strength

Revision date: 17.12.2019

Product code: 12-22

Page 4 of 6

10.1. Reactivity

No data available

10.2. Chemical stability

Product is stable in the test system throughout the duration of the test.

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

No data available

Further information

No data available

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Acute toxicity**

Based on available data, the classification criteria are not met.

Irritation and corrosivityBased on available data, the classification criteria are not met.
mild irritant.**Sensitising effects**Based on available data, the classification criteria are not met.
not sensitising.**Carcinogenic/mutagenic/toxic effects for reproduction**Based on available data, the classification criteria are not met.
No data available**STOT-single exposure**

Based on available data, the classification criteria are not met.

STOT-repeated exposureBased on available data, the classification criteria are not met.
No data available**Aspiration hazard**

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available

Additional information on tests

The preparation is not dangerous in the sense of Directive 1999/45/EC.

Practical experience**Observations relevant to classification**

No data available

SECTION 12: Ecological information**12.1. Toxicity**

No data available

12.2. Persistence and degradability

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Thread Locking Compound low strength

Revision date: 17.12.2019

Product code: 12-22

Page 5 of 6

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Other adverse effects

No data available

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Advice on disposal**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

Waste disposal number of contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

Contaminated packaging

Water (with cleaning agent). Completely emptied packages can be recycled.

SECTION 14: Transport information**Land transport (ADR/RID)****Other applicable information (land transport)**

Not restricted

Inland waterways transport (ADN)**Other applicable information (inland waterways transport)**

Not restricted

Marine transport (IMDG)**Other applicable information (marine transport)**

Not restricted

Air transport (ICAO-TI/IATA-DGR)**Other applicable information (air transport)**

Not restricted

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulatory information**

Water contaminating class (D): 1 - slightly water contaminating

SECTION 16: Other information



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Thread Locking Compound low strength

Revision date: 17.12.2019

Product code: 12-22

Page 6 of 6

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)