

according to Regulation (EC) No 1907/2006

#### **Antikorr**

Revision date: 26.11.2019 Product code: 163 Page 1 of 7

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Antikorr

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/mixture

Lubricants, greases, release products

#### Uses advised against

Reserved for industrial and professional use.

### 1.3. Details of the supplier of the safety data sheet

Company name: ITW LLC & Co. KG
Street: Mühlackerstrasse 149
Place: D-75417 Mühlacker
Telephone: ++49(0)7041-96340

e-mail: info@itwcp.de Internet: www.itwcp.de

Responsible Department: Produktsicherheit Mo. - Do. 8.00 - 16.30 Fr. 8.00 - 14.00

Swiss Toxicological Information Centre - Téléphone : +41 44 251 51 51 (in

Telefax: ++49(0)7041-963429

Switzerland dial 145)

United Kingdom: National Poisons Information Service - Phone number:

8448920111

Österreich: Vergiftungsinformationszentrale Vienna - Telefon-Nummer: +43 1

406 43 43

Schweiz : Tox Info Suisse - Telefon-Nummer : +41 44 251 51 51 Italia : Centro Antiveleni, Roma - Numero di telefono : +39 06 305 4343 España : Instituto Nacional de Toxicología - Teléfono : +34 91 562 04 20

# 1.4. Emergency telephone

number:

Deutschland: ++49(0)7041-96340

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Regulation (EC) No. 1272/2008

Hazard categories: Aerosol: Aerosol 1 Hazard Statements:

Extremely flammable aerosol.

Pressurised container: May burst if heated.

# 2.2. Label elements

# Regulation (EC) No. 1272/2008

# Hazard components for labelling

Naphtha (Erdoel), mit Wasserstoff behandelte schwere

Naphtha (petroleum), hydrotreated heavy

Signal word: Danger

Pictograms:



#### **Hazard statements**

H222 Extremely flammable aerosol.



according to Regulation (EC) No 1907/2006

**Antikorr** 

Revision date: 26.11.2019 Product code: 163 Page 2 of 7

H229 Pressurised container: May burst if heated.

**Precautionary statements** 

P211 Do not spray on an open flame or other ignition source.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smokina.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P251 Do not pierce or burn, even after use.

Special labelling of certain mixtures

EUH066 Repeated exposure may cause skin dryness or cracking.

### **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

#### **Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification	•	•	
64742-48-9	Hydrocarcons, C9-C11, n-Alkane,iso-Alkane			50-70 %
	265-150-3		01-2119457273-39	
	Asp. Tox. 1; H304			
124-38-9	Carbondioxide			2,5-10 %
	204-696-9			
	Compressed gas; H280			
93820-57-6	Benzenesulfonic acid, di-C10-18-alkyl derivs., calcium salts			<1%
	298-637-4			
	Skin Irrit. 2, Aquatic Chronic 3; H315 H412			
9014-92-0	Poly(oxy-1,2-ethanediyl),a-(dodecylphenyl)-w-hydroxy-			<1%
	500-023-0			
	Acute Tox. 4, Eye Dam. 1, Aquatic Chronic 2; H302 H318 H411			

Full text of H and EUH statements: see section 16.

#### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

# After inhalation

Provide fresh air. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### After contact with skin

After contact with skin, wash immediately with: Water. Change contaminated clothing.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

#### After indestion

If swallowed, immediately drink: Water.

# $\underline{\textbf{4.2. Most important symptoms and effects, both acute and delayed}}$

No data available

# 4.3. Indication of any immediate medical attention and special treatment needed

No data available



according to Regulation (EC) No 1907/2006

#### **Antikorr**

Revision date: 26.11.2019 Product code: 163 Page 3 of 7

#### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

#### Suitable extinguishing media

Suitable extinguishing media: Carbon dioxide. Extinguishing powder. dry extinguishing powder. Co-ordinate fire-fighting measures to the fire surroundings.

### Unsuitable extinguishing media

Water with tenside additive. Water.

# 5.2. Special hazards arising from the substance or mixture

Heating causes rise in pressure with risk of bursting.

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Provide adequate ventilation. Wear a self-contained breathing apparatus and chemical protective clothing.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

# 6.3. Methods and material for containment and cleaning up

Ventilate affected area.

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed.

# Hints on joint storage

Do not store together with: Material, rich in oxygen, oxidizing.


#### **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

#### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
124-38-9	Carbon dioxide	5000	9150		TWA (8 h)	WEL
		15000	27400		STEL (15 min)	WEL

#### 8.2. Exposure controls





according to Regulation (EC) No 1907/2006

#### **Antikorr**

Revision date: 26.11.2019 Product code: 163 Page 4 of 7





#### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

#### Protective and hygiene measures

Change contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

#### Eye/face protection

Tightly sealed safety glasses.

#### Hand protection

DIN EN 374 Tested protective gloves are to be worn: NBR (Nitrile rubber) For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. NBR (Nitrile rubber)

## Skin protection

Protective clothing:

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: Aerosol
Colour: light blue
Odour: characteristic

#### Changes in the physical state

Flash point: 105 °C
Sustaining combustion: No data available
Density: 0,81 g/cm³

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No data available

#### 10.2. Chemical stability

No data available

# 10.3. Possibility of hazardous reactions

No data available

# 10.4. Conditions to avoid

Keep away from heat. Ignition hazard.

# 10.5. Incompatible materials


No data available

#### 10.6. Hazardous decomposition products

No data available

## **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects





according to Regulation (EC) No 1907/2006

#### **Antikorr**

Revision date: 26.11.2019 Product code: 163 Page 5 of 7

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
9014-92-0	Poly(oxy-1,2-ethanediyl),a-(dodecylphenyl)-w-hydroxy-				
	oral	ATE 500 mg/kg			

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

Vapours may cause drowsiness and dizziness.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

# STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Repeated exposure may cause skin dryness or cracking.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological information**

#### **Further information**

Do not allow to enter into surface water or drains.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

# Advice on disposal

Dispose of waste according to applicable legislation.

# Waste disposal number of waste from residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; gases in pressure containers (including halons) containing hazardous

substances; hazardous waste

### Waste disposal number of contaminated packaging

150104 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately

collected municipal packaging waste); metallic packaging

### Contaminated packaging


Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

#### **SECTION 14: Transport information**

## Land transport (ADR/RID)

**14.1. UN number:** UN 1950 **14.2. UN proper shipping name:** AEROSOLS

14.3. Transport hazard class(es): 2
14.4. Packing group: -





according to Regulation (EC) No 1907/2006

### **Antikorr**

Revision date: 26.11.2019 Product code: 163 Page 6 of 7

Hazard label: 2.1



Classification code: 5F

Special Provisions: 190 327 344 625

Limited quantity:1 LExcepted quantity:E0Transport category:2Tunnel restriction code:D

Other applicable information (land transport)

E0

Inland waterways transport (ADN)

**14.1. UN number:** UN 1950 **14.2. UN proper shipping name:** AEROSOLS

14.3. Transport hazard class(es):214.4. Packing group:-Hazard label:2.1



Classification code: 5F

Special Provisions: 190 327 344 625

Limited quantity: 1 L
Excepted quantity: E0

Other applicable information (inland waterways transport)

**AEROSOLS** 

Marine transport (IMDG)

14.1. UN number:

14.2. UN proper shipping name: AEROSOLS

14.3. Transport hazard class(es): 2
14.4. Packing group: -

Hazard label: 2, see SP63

Special Provisions: 63, 190, 277, 327, 344, 959

Limited quantity: See SP277 EmS: F-D, S-U

Other applicable information (marine transport)

E0

Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number:** UN 1950

14.2. UN proper shipping name: AEROSOLS, flammable

14.3. Transport hazard class(es):2.114.4. Packing group:-Hazard label:2.1



ITW LLC & Co. KG

according to Regulation (EC) No 1907/2006

### **Antikorr**

Revision date: 26.11.2019 Product code: 163 Page 7 of 7



Special Provisions: A145 A167 A802

Limited quantity Passenger: 30 kg G
Passenger LQ: Y203
Excepted quantity: E0

IATA-packing instructions - Passenger:203IATA-max. quantity - Passenger:75 kgIATA-packing instructions - Cargo:203IATA-max. quantity - Cargo:150 kg

# Other applicable information (air transport)

0000000005: Forbidden

## 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

# **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 29: Hydrocarcons, C9-C11, n-Alkane,iso-Alkane

2004/42/EC (VOC): VOC: 0,24kg/ Stk. (400ml)

**National regulatory information** 

Water contaminating class (D): 1 - slightly water contaminating

### **SECTION 16: Other information**

H412

# Relevant H and EUH statements (number and full text) H222 Extremely flammable aerosol

H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H411	Toxic to aquatic life with long lasting effects.

Harmful to aquatic life with long lasting effects.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)